



Enhanced Secure Anti-Collusion Data Sharing Scheme For CP-ABE Security System

Mr.S. Thirvenkatasamy Arradhana.G Kowshika.A Keerthana.C Taraka Sravya.R
Computer science and Engineering
Nandha college of technology

Abstract--- The data outsourcing scenario challenges the approaches of traditional access control architectures such as reference monitor, where a trusted server is in charge of defining and enforcing access control policies. The main scope of the project is used to deliver the user data in the third party area for on demand access. The user access the details as privilege level based on access control. The dual encryption is processed in the cloud environment which is varied from one group to another for secure process. The paper propose a novel algorithm namely ciphertext-policy attribute-based encryption to enforce access control policies with efficient attribute and user revocation capability. The algorithm executed in the basis of setup process to create the master key and public key, key encrypting key generation process, attribute key generation process based on access control, encrypt the data using public key, re-encrypt process using group key and Decryption of data. Dual encryption mechanism which takes advantage of the attribute-based encryption and selective group key distribution in each attribute group. The ciphertext-policy EABE (CP-ABE) provides a scalable way of encrypting data such that the encryptor defines the attribute set that the decryptor needs to possess in order to decrypt the ciphertext. Thus, different users are allowed to decrypt different pieces of data per the security policy. This effectively eliminates the need to rely on the storage server for preventing unauthorized data access.

Keyword : Cloud Computing, Secure Data Sharing Scheme, Certificate Authorities, Untrusted cloud, Ciphertext-policy Attribute Based Encryption.

I. INTRODUCTION

Cloud computing means that instead of using the entire computer hardware and software to be on the desktop or somewhere inside the company's network, it's provided for as a service by another company and accessed over the Internet, usually in a completely seamless way. Exactly where the hardware and software is located and how it all works doesn't matter to the user it's just somewhere up in the nebulous "cloud" that the Internet represents.

Cloud computing is a buzzword that means different things to different people. For some, it's just another way of describing IT (information technology) "outsourcing"; others use it to mean any computing service provided over the Internet or a similar network; and some define it as any bought-in computer service use that sits outside the firewall. However the cloud computing is defined, there's no doubt it makes most sense when it stop talking about abstract definitions and look at some simple, real examples-so let's do just that.

The goal of cloud computing is to apply traditional supercomputing, or high-performance computing pointer, normally used by military and research facilities, to perform tens of trillions of computations per second in consumer-oriented applications such as financial portfolios, to deliver personalized information, to provide data storage or to power large, immersive online computer games. The cloud computing uses networks of large groups of servers typically running low-cost consumer PC technology with specialized connections to spread data-processing tasks across them. This shared IT infrastructure contains large pools of systems that are linked together. Often, virtualization techniques are used to maximize the power of cloud computing.

Data outsourcing is becoming today a successful solution that allows users and organizations to exploit external servers for the distribution of resources. Some of the most challenging issues in such a scenario are the enforcement of authorization policies and the support of policy updates.

Since a common approach for protecting the outsourced data consists in encrypting the data themselves, a promising approach for solving these issues is based on the combination of access control with cryptography. This idea is in itself not new, but the problem of applying it in an outsourced architecture introduces several challenges. In this paper, illustrating the basic principles on which architecture for combining access control and cryptography can be built. It then illustrate an approach for enforcing authorization policies



and supporting dynamic authorizations, allowing policy changes and data updates at a limited cost in terms of bandwidth and computational power.

Some of the most challenging issues in data outsourcing scenario are the enforcement of authorization policies and the support of policy updates. Ciphertext-policy attribute-based encryption is a promising cryptographic solution to these issues for enforcing access control policies defined by a data owner on outsourced data.

However, the problem of applying the attribute-based encryption in an outsourced architecture introduces several challenges with regard to the attribute and user revocation. The study proposes an access control mechanism using ciphertext-policy attribute-based encryption to enforce access control policies with efficient attribute and user revocation capability. The fine-grained access control can be achieved by dual encryption mechanism which takes advantage of the attribute-based encryption and selective group key distribution in each attribute group.

II RELATED WORKS

U.Jyothi K. Et al [1] describe a cloud computing is an emerging computing paradigm in which resources of the computing infrastructure are provided as services over the Internet. As promising as it is, this paradigm also brings forth many new challenges for data security and access control when users outsource sensitive data for sharing on cloud servers, which are not within the same trusted domain as data owners. To keep sensitive user data confidential against untrusted servers, existing solutions usually apply cryptographic methods by disclosing data decryption keys only to authorized users. However, in doing so, these solutions inevitably introduce a heavy computation overhead on the data owner for key distribution and data management when fine-grained data access control is desired, and thus do not scale well. The problem of simultaneously achieving fine-grainedness, scalability, and data confidentiality of access control actually still remains unresolved.

Brent Waters et al [2] present a new methodology for realizing Ciphertext-Policy Attribute Encryption (CP-ABE) under concrete and non-interactive cryptographic assumptions in the standard model. The solutions allow any encryptor to specify access control in terms of any access formula over the attributes in the system. In most efficient system, ciphertext size, encryption, and decryption time scales linearly with the complexity of the access formula. The only previous work to achieve these parameters was limited to a proof in the generic group model. To presented three constructions within the framework. In the first system is proven selectively secure

under a assumption that call the decisional Parallel Bilinear Diffie-Hellman Exponent (PBDHE) assumption which can be viewed as a generalization of the BDHE assumption [12]. The next two constructions provide performance tradeoffs to achieve provable security respectively under the (weaker) decisional Bilinear-Diffie-Hellman Exponent and decisional Bilinear Diffie-Hellman assumptions.

Dan Boneh et al [3] describe a Hierarchical Identity Based Encryption (HIBE) system where the ciphertext consists of just three group elements and decryption requires only two bilinear map computations, regardless of the hierarchy depth [14]. Encryption is as efficient as in other HIBE systems. To prove that the scheme is selective-ID secure in the standard model and fully secure in the random oracle model. System has a number of applications: it gives very efficient forward secure public key and identity based cryptosystems (with short ciphertexts), it converts the NNL broadcast encryption system into an efficient public key broadcast system, and it provides an efficient mechanism for encrypting to the future. The system also supports limited delegation where users can be given restricted private keys that only allow delegation to bounded depth. The HIBE system can be modified to support sublinear size private keys at the cost of some ciphertext expansion.

Vipul Goyal et al [4] describe a more sensitive data is shared and stored by third-party sites on the Internet, there will be a need to encrypt data stored at these sites. One drawback of encrypting data is that it can be selectively shared only at a coarse-grained level (i.e., giving another party private key). Develop a new cryptosystem for fine-grained sharing of encrypted data that they call Key-Policy Attribute-Based Encryption (KP-ABE). In the cryptosystem, ciphertexts are labeled with sets of attributes and private keys are associated with access structures that control which ciphertexts a user is able to decrypt. Demonstrate the applicability of construction to sharing of audit-log information and broadcast encryption. Construction supports delegation of private keys which subsumes Hierarchical Identity-Based Encryption (HIBE).

Dan Boneh et al [5] describe a Identity-Based Encryption from the Weil Pairing proposed a fully functional identity-based encryption scheme (IBE). The scheme has chosen ciphertext security in the random oracle model assuming a variant of the computational Diffie Hellman problem. The system is based on bilinear maps between groups. The Weil pairing on elliptic curves is an example of such a map. They give precise definitions for secure identity based encryption schemes and give several applications for such systems. Analysis is the process of breaking the problem into the successfully manageable parts of study. In system analysis emphasis is given to understanding the details of an existing system or a proposed system is desirable or not. Thus, system



analysis is the process of investigating a system, identifying problems, and using the information to recommend to the system.

III. SECURE ANTI COLLUSION MODEL

A. CP- ABE Methodology

The working algorithm logic in encryption is ABE comes in two flavors called Key-Policy ABE (KP-ABE) and cipher text-policy ABE. In KP-ABE, attributes are used to describe the encrypted data and policies are built into user's keys; while in CP-ABE, the attributes are used to describe a user's credential, and an encryptor determines a policy on who can decrypt the data's-ABE is more appropriate to the data outsourcing architecture than KP-ABE because it enables data owners to choose an access structure on attributes and to encrypt data to be outsourced under the access structure via encrypting with the corresponding public attributes.

The problem of applying the ABE to the data outsourcing architecture introduces several challenges with regard to the attribute and user revocation. The revocation issue is even more difficult especially in ABE systems, since each attribute is conceivably shared by multiple users (henceforth, it refer to such a collection of users as an attribute group). This implies that revocation of any attribute or any single user in an attribute group would affect the other users in the group. It may result in bottleneck during re-keying procedure or security degradation in the system. Thus, in this study will attempt to solve these problems in attribute-based data access control using CP-ABE for data outsourcing systems. Christo Ananth et al. [9] discussed about a system, a low power area reduced and speed improved serial type daisy chain memory register also known as shift Register is proposed by using modified clock generator circuit and SSASPL (Static differential Sense Amplifier based Shared Pulsed Latch).

The existing system depending full of manual process, manual system maintains the limited number of process. The existing system includes an attribute-based access control scheme using CP-ABE with efficient **attribute and user revocation capability** for data outsourcing systems. The existing system consists of the following entities:

1. Trusted authority. It is a key authority for the attributes set. It generates public and secret parameters for the system. It is in charge of issuing, revoking, and updating attribute keys for users. It grants differential access rights to individual users

based on the attributes. It is the only party that is fully trusted by all entities participating in the data outsourcing system.

2. Data owner. This is a client who owns data, and wishes to outsource it into the external data server provided by the service provider. A data owner is responsible for defining (attribute-based) access policy, and enforcing it on its own data by encrypting the data under the policy before outsourcing it.

3. User. This is an entity who wants to access the outsourced data. If a user possesses a set of attributes satisfying the access policy of the encrypted data defined by the data owner, and is not revoked in any of the attribute groups, then the user will be able to decrypt the ciphertext and obtain the data.

4. Service provider. It is an entity that provides a data outsourcing service. It consists of data servers and a data service manager. Outsourced data from data owners are stored in the data servers. The data service manager is in charge of controlling the accesses from outside users to the outsourced data in servers and providing corresponding contents services. The following are the drawbacks of CP-ABE system.

- Handling the outsource data copies in a secure manner is difficult.
- Storing and retrieving of data from a cloud server are takes more time and effort.
- The data owner need to take full charge of maintaining all the membership lists for each attribute group to enable the direct user revocation.
- All the data is maintained by single service provider so the data privacy affected by the third party storage area.
- The single data service manager is in-charge of managing the attribute group keys per each attribute group.
- Key storage of each outsourced data maintenance will be difficult for the cloud administrator.
- Keys are assigned randomly and independently from each other, so the user can access the data of another user group by the system.
 - No capability to capture a series of attribute queries option.
 - User profile is group into single group attribute in the tuples structure only.

• Past query based suggestion is not given to user group.

Below mentioned are the main objectives of the proposed system :

- To revoke users by any service provider may if unauthorized user tries to access the data above a given count.



- To maintain data servicing by more than one service provider.
- To make all data service managers take charge of managing the attribute group keys per each attribute group.
- To assign keys based on a condition and unique among all users.

IV Enhanced CP-ABE- METHODOLOGY

In proposed Secure-ECP-ABE system, first, enabling user access control enhances the backward/forward secrecy of outsourced data on any membership changes in attribute groups compared to the attribute revocation schemes.

Second, the user access control can be done on each attribute level rather than on system level, so that more fine-grained user access control can be possible. In practical scenarios, users may miss many key update messages so that it cannot sometimes keep the key states up-to-date. This is called stateless receiver problem. In the proposed scheme, rekeying in the attribute group is done with a stateless group key distribution mechanism using a binary tree. This alleviates the scalability problem and resolves the stateless receiver problem. Third, data owners need not be concerned about any access policy for users, but just need to define only the access control policy for attributes as in the previous EABE system. The main objective of the proposed system is to reduce the time consuming and make the system more user friendly, efficient, accurate and fast process. The primary objective of the proposed system,

- To revoke users by any service provider may if unauthorized user tries to access the data above a given count.
- To maintain data servicing by more than one service provider.
- To make all data service managers take charge of managing the attribute group keys per each attribute group.
- To assign keys based on a condition and unique among all users.




Fig 4.1 Ciphertext-Policy Attribute-Based Encryption with User Revocation

The proposed system implements all the existing system concepts in which the Ciphertext-Policy Attribute-Based Encryption with User Revocation is carried out. Like existing system, the proposed scheme also adapts a dual encryption approach to overcome the user access control problem in attribute-based encryption system. In addition, multiple service providers are included and data is distributed among them. User privileges may be varying for data maintained by different service providers. This requires different kind of encryption mechanisms in data maintained by different service providers. The following are the advantages of proposed system.

- Any service provider may revoke users if unauthorized user tries to access the data above a given count.
- Data servicing is maintained by more than one service provider, the authentication process is enhanced.
- All data service manager take charge of managing the attribute group keys per each attribute group.
- Keys are assigned based on a condition and unique among all users, so the key duplication is not occurred in the current system.
- Handling the outsource data copies in a secure manner is easy to compare proposed attribute access control model.
- To capability and capture a series of attribute queries option.



- User profile is group into same group with attribute in the tuples structure only.
- Past query based suggestion is given to user group.
- All the data is maintained by multiple service providers so the data privacy do not affected by the third party storage area.
- The single data service manager is in-charge of managing the different attribute group keys per each attribute group

A. Cipher Text-Policy Attribute-Based Encryption with User Revocation

Step 1:

The setup algorithm is executed which is a randomized algorithm that takes no input other than the implicit security parameter. It outputs the public key PK and a master key MK.

Step 2:

The attribute key generation algorithm is executed which takes input the master key MK, a set of attributes $\{A_1, A_2, \dots, A_L\}$, and a set of user indices $U = \{u_1, u_2, \dots, u_n\}$ as parameters. It outputs a set of private attribute keys SK for each user in U that identifies with the attributes set.

Step 3:

The key encrypting key (KEK) generation algorithm is executed in this module, which takes a set of user indices $U = \{u_1, u_2, \dots, u_n\}$ as input, and outputs KEKs for each user in U, which will be used to encrypt attribute group keys K_{G_i} for each $G_i \in G$.

Step 4:

An encryption algorithm (which is a randomized algorithm) that takes as input the public parameter PK, a message M, and an access structure 'A' over the universe of attributes. It outputs a cipher text CT such that only a user who possesses a set of attributes that satisfies the access structure will be able to decrypt the message.

Step 5:

The re-encryption algorithm is a randomized algorithm that takes as input the cipher text CT including an access structure 'A', and a set of attribute groups G. If the attribute groups appear in 'A', it re-encrypts CT for the attributes; else, returns \perp . Specifically, it outputs a re-encrypted cipher text CT' such that only a user who possesses a set of attributes that satisfies the access structure and has a valid membership for each of them at the same time will be able to decrypt the message.

Step 6:

The decryption algorithm is executed which takes as input the cipher text CT' which contains an access structure 'A', a private key SK, and a set of attribute group keys K_{G_i} for a set of attributes G_i . The decryption can be done if G_i satisfies 'A' and K_{G_i} is not revoked for any $G_i \in G$.

Step 7:

If the data contains most important information and in order to protect the data security, more privileged service providers view most of the data and less privileged service providers view limited data. This form is used for the purpose of the authentication with the credential details of the username and password. Those details are entered by user in the textbox controls and login process done by the command button event. Here the details are extracted from the login table for the authorization process.

B. Trusted Key Pair

The trusted key pair created in the application for further process, following the key generation of the public key and the master key which are used for the purpose of encryption of the message. All such keys are created as group key. These details are generated by create command button event and showed in the multiline text mode. This key is saved in the application using save command button event.

C. Attribute Creation

This form is used to create the attribute details in the application, It contains details such as attribute id, attribute names that are entered by user in the textbox controls, and saved by the save command button. The delete button is used is used to delete the specified record and close command button is user to terminate the current form.

D. User Creation Form

The user creation form is to create the user details for accessing the attribute with privilege level. The user id, user name and passwords are entered by user in the textbox controls these details are saved by the save command button event. The delete button is used is used to delete the specified record and close command button is user to terminate the current form.

E. Attribute Key Generation

Attribute key generation form is used to process the key generation process in the application. The access structure form is used to create the access specification for each and every user for specifying the details with the rights to select, insert, update and delete operation in those processes which are selected by the check box control. Attribute identity number and user identity numbers are selected by user from the ComboBox control. Given attribute name and user names



are displayed in the textbox control. All these information are saved in the database using save command button event.

F. Attribute Group Key Generation

Attribute group key generation form is used to create group key in the application, attributes assigning with the group, identify each user belonging to the given group id. The attribute identity number is selected by the user in the checkbox control. Group identity number is inserted in the textbox control. All these details are saved in the specified table.

G. Group Keygeneration For Users

This form is used to assign the user to group, for accessing the given process. The user identity number is selected by user in the check box control and group identity number is selected by the combo box control and all these details are saved in the specified table.

H. Key Encrypting Key Generation For Users

This form is used to encrypt the key value for corresponding username and user id. The id details are selected by user in the checkbox control and user key is generated using create command button event. The corresponding username, user id and the given key encrypting values are inserted into the user details table.

I. Encryption Form

This form is used to encrypt the text using public key for the purpose of other users who do not know the given message. So, the public key is extracted using get key command button and displayed in the label control, the message is entered in the textbox control then the given encrypted message is displayed in the label control. The encrypted message is saved in the application using creates cipher text and save command button event.

J. Re-Encrypt Form

This form, re-encrypt the encrypted data in the application based on the group key because the other user will not identify the same encrypted message. In this form, group identity number and cipher texts are selected from the combo box controls, and details are re-encrypted in the cipher text grid view control using re-encrypt command button event.

K. Decrypt Cipher Text

Decrypt cipher text retrieves the plain data in the application. The given cipher text is entered the data is showed to the user. In this form user identity number and cipher texts are selected from the combo box control, group identity is displayed in the

label controls. The message is decrypted in the cipher text grid view control using the decrypt command button event.

L. Select Query Form

This form is used to check the user level access privileged rights in the application; query is inserted in the textbox control and processed by the check command button event.

M. Encrypt Block Security Form

This form is used to create cipher text in this experimental system given database the user access the high privileged level or not. The field one, field two and field three data's are entered by user in the list box controls and privilege settings is selected by the check box control. The Advanced Encryption Key (AES) is entered in the textbox control and data is encrypted using the encrypt command button event.

V.RESULTS

The Table 5.1 represents experimental result for Secure Anti Collusion Algorithm model. The table shows the selecting the number of Attributes, Access control count and Access permission count. The table contains the various attributes, owner and access policy control and access permission count.

Table 5.1 Secure Anti Collusion Algorithm Model

S. No	Attribute	Owner	Access Control [N]	Access Permission Count [N]
1	Name	A	4	80
2	Age	B	6	120
3	DOB	C	10	200
4	Salary	D	12	240
5	Attendance	E	17	340

The Figure 5.1 represents experimental result for existing Secure Anti Collusion Algorithm model. It shows the selecting the number of Attributes and Access permission count based on the access control policy count.

VI.CONCLUSION

The rapid development of versatile cloud services, a lot of new challenges have emerged. One of the most important problems is how to securely delete the outsourced data stored in the cloud servers. The proposed ciphertext-policy attribute-based encryption with user revocation scheme provides a big advantage by supporting user-defined time-specific authorization and fine-grained access control and data secure self-destruction. Some of the most challenging issues in data outsourcing scenario are the enforcement of authorization



policies and the support of policy updates. This thesis proposes a cryptographic approach to enforce a fine-grained access control on the outsourced data that is dual encryption protocol exploiting the combined features of the ciphertext-policy attribute-based encryption and group key management algorithm. The proposed scheme allows a data owner to define the access control policy and enforce it on his outsourced data. It also features a mechanism that enables more fine-grained access control with efficient attribute and user revocation capability. It is sent that the proposed scheme is efficient and scalable to securely manage the outsourced data. The proposed ciphertext-policy attribute-based encryption model does includes the set of the attributes, tree access policy, and the definition of the time instant, because the costs are negligible if compared with the key generation.




Fig 5.1 Secure Anti Collusion Algorithm Model

- The data integrity in multiple copies of same database is not considered. The error situation can be recovered if there is any mismatch.
- The web site and database can be hosted in real environment during the implementation.
- In future Minimum Spanning Tree logic may applied for the access control tree
- Further the T-DES algorithm can be used for the encryption and decryption process

REFERENCES

- [1] United States Congress, "Health Insurance Portability and Accountability Act of 1996.
- [2] Sahai, A., Waters, B.: Fuzzy identity-based encryption. In: Cramer, R. (ed.) EUROCRYPT 2005.

- LNCS, vol. 3494, pp. 457–473. Springer, Heidelberg (2005).
- [3] Waters, B.: Cipher text - policy attribute- based encryption: An expressive, efficient, and provably secure realization. Cryptology ePrint Archive, Report 2008/290 (2008), <http://eprint.iacr.org/>.
- [4] A. Shamir. Identity-based cryptosystems and signature schemes. In G. Blakley and D. Chaum, editors, Proceedings of Crypto 1984, volume 196 of LNCS, pages 47–53. Springer, 1984.
- [5] A. Sahai and B. Waters. Fuzzy Identity Based Encryption. In Advances in Cryptology – Eurocrypt, volume 3494 of LNCS, pages 457–473. Springer, 2005.
- [6] Y. Desmedt and J. Quisquater, "Public-key systems based on the difficulty of tampering" Advances in Cryptology – Crypto '86, Lecture Notes in Computer Science, Vol. 263, SpringerVerlag, pp. 111–117, 1986.
- [7] ARMBRUST, M., AND ET AL. Above the clouds: A berkeley view of cloud computing. Tech. Rep. UCB/EECS-2009-28, EECS Department, U.C. Berkeley, Feb 2009.
- [8] Eiichiro Fujisaki and Tatsuaki Okamoto. Secure integration of asymmetric and symmetric encryption schemes. In Proceedings of Crypto '99, volume 1666 of LNCS, pages 537–554, 1999.
- [9] Christo Ananth, S. Dinesh, "Area power and speed optimized serial type daisy chain memory using modified CPG with SSASPL," 2015 International Conference on Control, Instrumentation, Communication and Computational Technologies (ICCICCT), Kumaracoil, India, 2015, pp. 344-349, IEEE Data retrieved from <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7475302&isnumber=7475237>
- [10] P. S. L. M. Barreto, B. Libert, N. McCullagh, and J.-J. Quisquater, "Efficient and provably-secure identity-based signatures and signcryption from bilinear maps," in ASIACRYPT, ser. Lecture Notes in Computer Science, vol. 3788. Springer, December 4-8 2005, pp. 515–532.
- [11] N. Shang, M. Nabeel, F. Paci, and E. Bertino, "A privacy-preserving approach to policy-based content dissemination," in ICDE '10: Proceedings of the 2010 IEEE 26th International Conference on Data Engineering, 2010.